

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (Withdrawn) A process for producing carboxylic acid, comprising converting at least one cyano group of a nitrile compound into a carboxyl group using a microorganism, wherein a variant microorganism defective or reduced in the activity of converting a cyano group into an amide group is used.
2. (Withdrawn) The process for producing carboxylic acid as claimed in claim 1, wherein said variant microorganism is a variant strain of a bacterium belonging to the genus *Rhodococcus*.
3. (Withdrawn) The process for producing carboxylic acid as claimed in claim 2, wherein said variant strain of a *Rhodococcus* bacterium is a variant strain of a parent strain *Rhodococcus* sp. ATCC39484.
4. (Withdrawn) The process for producing carboxylic acid as claimed in claim 3, wherein the variant strain of a parent strain *Rhodococcus* sp. ATCC39484 is *Rhodococcus* sp. SD826 (FERM BP-7305).

5. (Withdrawn) The process for producing carboxylic acid as claimed in claim 1, wherein the nitrile compound is a polynitrile compound having a plurality of cyano groups in the molecule and the carboxylic acid is a cyano carboxylic acid.

6. (Withdrawn) The process for producing carboxylic acid as claimed in claim 5, wherein the polynitrile compound is an aromatic polynitrile compound and the cyano carboxylic acid is an aromatic cyano carboxylic acid.

7. (Withdrawn) The process for producing carboxylic acid as claimed in claim 6, wherein the aromatic polynitrile compound is selected from the group consisting of o-phthalonitrile, isophthalonitrile, and terephthalonitrile, and the aromatic cyano carboxylic acid is corresponding o-cyanobenzoic acid, m-cyanobenzoic acid, or p-cyanobenzoic acid.

8. (Previously presented) An isolated microorganism having the activity of converting a cyano group into a carboxyl group and being defective or reduced in the activity of converting a cyano group into an amide group,

wherein said microorganism is a mutant strain of a microorganism belonging to the genus *Rhodococcus*.

9. (Canceled)

10 (Previously presented) The isolated microorganism as claimed in claim 8, wherein said microorganism is a mutant strain of *Rhodococcus* sp. ATCC39484.

11. (Original) A *Rhodococcus* sp. SD826 (FERM BP-7305) strain.

12.-59. (Canceled)

60. (Previously presented) The isolated microorganism according to claim 8, wherein said microorganism has been treated with a mutagen so as to inactivate or reduce the activity of the microorganism to convert a cyano group into an amide group.

61. (Previously presented) The isolated microorganism according to claim 60, wherein said mutagen is selected from the group consisting of an alkylating agent, a nucleotide analog, an intercalating agent and ultraviolet radiation.

62. (New) The microorganism of claim 8, wherein said microorganism is obtained by a method comprising the steps of:

(i) providing a microorganism belonging to the genus *Rhodococcus* having an activity of converting a cyano group of a nitrile compound into a carboxyl group by at least two reaction routes, wherein a first reaction route is a one-stage reaction route catalyzed by a nitrilase, and wherein a second reaction route is a two-stage reaction route catalyzed by a nitrile hydratase and an amidase, wherein said nitrile hydratase produces an amide;

(ii) mutating said microorganism; and

(iii) screening for a mutant microorganism having an activity of converting a cyano group into a carboxyl group and being defective or reduced in an activity of converting a cyano group into an amide group.

63. (New) A method for producing the microorganism of claim 8 comprising the steps of:

(i) providing a microorganism belonging to the genus *Rhodococcus* having an activity of converting a cyano group of a nitrile compound into a carboxyl group by at least two reaction routes, wherein a first reaction route is a one-stage reaction route catalyzed by a nitrilase, and wherein a second reaction route is a two-stage reaction route catalyzed by a nitrile hydratase and an amidase, wherein said nitrile hydratase produces an amide;

(ii) mutating said microorganism; and

(iii) screening for a mutant microorganism having an activity of converting a cyano group into a carboxyl group and being defective or reduced in an activity of converting a cyano group into an amide group.

64. (New) The isolated microorganism of claim 62, wherein said nitrile compound is a polynitrile compound having at least two cyano groups or is an aromatic polynitrile compound.

65. (New) The isolated microorganism of claim 62, wherein said amide is selected from the group consisting of o-cyanobenzamide, m-cyanobenzamide, and p-cyanobenzamide.

66. (New) The isolated microorganism of claim 62, wherein said nitrile compound is a polynitrile compound having a plurality of cyano groups and said carboxyl group is a cyano carboxylic acid.

67. (New) The isolated microorganism of claim 66, wherein said polynitrile compound is an aromatic polynitrile compound and said cyano carboxylic acid is an aromatic cyano carboxylic acid.

68. (New) The isolated microorganism of claim 67, wherein said aromatic polynitrile compound is selected from the group consisting of o-phthalonitrile, isophthalonitrile, and terephthalonitrile; and wherein said aromatic cyano carboxylic acid is selected from the group consisting of o-cyanobenzoic acid, m-cyanobenzoic acid, and p-cyanobenzoic acid.

69. (New) The isolated microorganism of claim 62, wherein said mutant microorganism produces a carboxylic acid upon contacting said microorganism with said nitrile compound, wherein an amount of by-products produced by said microorganism from the nitrile compound is 0.5 mol% or less of a total amount of said carboxylic acid.

70. (New) The isolated microorganism of claim 62, wherein said mutating is performed with at least one mutagen selected from the group consisting of an alkylating agent, a nucleotide analog, an intercalating agent, and ultraviolet radiation.

Amendment under 37 C.F.R. § 1.111
USSN 09/869,142

71. (New) The isolated microorganism of claim 62, wherein said mutant microorganism is cultured at less than 40° C.

72. (New) The isolated microorganism of claim 8, wherein said mutant microorganism is cultured at less than 40° C.